

## EAST Search History

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|--|---|------------------|---------|------------------|
| S1    | 2    | "6442748".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/03/10 15:36 |
| S2    | 36   | (test near2 script).ab. and ((quer\$2 SQL invoc\$4 message call RPC API) near9 (RDBM database query SQL JQL (record table and repository)))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/03/10 16:23 |
| S3    | 55   | ((application software program) with test\$2).ab. and script and ((quer\$2 SQL invoc\$4 message call RPC API) near9 (RDBM database query SQL JQL (record table and repository))) and (user near5 input)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/03/10 15:44 |
| S4    | 2    | "6973490".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/03/10 15:54 |
| S5    | 60   | ((GUI UI "user interface") same ( input near9 (alter\$4 modif\$3 change)) and (select\$4 near4 script) and ((test\$4 monitor\$4 measur\$4) with ("user interface" script JavaScript ActiveX button (UI near3 application)) near7 behavior latency time performance)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/03/10 16:07 |
| S6    | 2    | S5 and ((monitor\$4 track\$4 identif\$4) near4 (change state event availability presence)) same ((object component element attribute instance) near3 (window GUI interface script Web page))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/03/10 16:10 |
| S7    | 20   | (test near9 (((UI "GUI") adj3 structure) script)) and ((monitor\$4 track\$4 identif\$4) near4 (change state event availability presence)) same ((object component element attribute instance) near3 (window GUI interface script Web page))                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/03/10 16:11 |

## EAST Search History

|     |      |   |   |    |     |                  |
|-----|------|---|---|----|-----|------------------|
| S8  | 5    | (S2 S3 S5) and S7   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:18 |
| S9  | 36   | ((page browser panel "user interface" UI GUI) with test) and ((reexecut\$4 retest\$3 rerun test\$3) near9 ((altered changed introduced modified) adj2 (structure item component object element))) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:16 |
| S10 | 1    | (S2 S3 S5) and S9   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:18 |
| S11 | 0    | S7 and S9   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:17 |
| S12 | 1092 | (recording tracing monitor\$4 logging) near4 (user near4 (event action interfacing interaction interacting)) same (Javascript HTML program page Web application browser)                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:21 |
| S13 | 32   | (query with database) and S12 and (record near5 (action event interaction))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:32 |
| S14 | 6    | (query with database) and (S2 S3 S5 S9) and (record near5 (action event interaction))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:22 |
| S15 | 2    | (generat\$4 near4 (test near2 script)).clm. and ((recording logging tracking) near8 (event behavior interaction move)) and (Web and (page button))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:22 |

## EAST Search History

|     |    |   |   |    |     |                  |
|-----|----|---|---|----|-----|------------------|
| S16 | 9  | (generat\$4 near4 (test near2 script)) and ((recording logging tracking) near8 (event behavior interaction move)) and (Web and (page button)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:28 |
| S17 | 0  | (S14 S13) and S16 .   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:25 |
| S18 | 0  | (test\$3 near4 command near3 user).clm. and ("graphical user interface").ab. and (script near4 (generat\$4 test\$4))                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:30 |
| S19 | 0  | (test\$3 near4 command near3 user).ab. and ("graphical user interface").clm. and (script near4 (generat\$4 test\$4))                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:30 |
| S20 | 34 | (test\$3 near4 command near3 user) and ("graphical user interface" UI GUI) and (script near4 (generat\$4 test\$4))                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:31 |
| S21 | 9  | (test\$3 near4 command near3 user) and ("graphical user interface" UI GUI) and (script near4 (generat\$4 test\$4)).clm.                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:36 |
| S22 | 2  | (S20 S21) and S12   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:31 |
| S23 | 3  | (query with database) and S20 and (record near5 (action event interaction))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/10 16:32 |

## EAST Search History

|     |     |  |   |    |     |                  |
|-----|-----|--|---|----|-----|------------------|
| S24 | 711 | (ERP CRM (discovery same instrumentation)) and ((database repository) same ((API query (call near4 retriev\$4)) and (XML (meta\$4 near3 information) metadata) ))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:21 |
| S25 | 38  | (script).ab. and ((quer\$2 SQL invok\$4 message call RPC API) near9 (RDBM database query SQL JQL (record table and repository))) and (event with log\$3)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 12:30 |
| S26 | 5   | ((synchroni\$5 updat\$4) same (database near5 ((meta\$5 definition) metadata))) and (test ERP) and ((user adj2 (interface action)) same ((move event click mouse) with (logged recorded tracked monitored))) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 12:30 |
| S27 | 39  | ((synchroni\$5 updat\$4) same (database near5 ((meta\$5 definition) metadata))) and S24  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 12:30 |
| S28 | 0   | S25 and S27  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 12:30 |
| S29 | 7   | S27 and ((quer\$2 SQL invok\$4 message call RPC API) near9 (RDBM database query SQL JQL (record table and repository))) and (event with log\$3)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 12:31 |
| S30 | 5   | (S26 or S29) and @rlad<"20030128"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 13:14 |
| S31 | 0   | correlat\$4 with ((event action) with ((interface move interaction) near4 user)) same (((metadata description definition) adj2 (record file)) meta-information meta-definition )                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 12:44 |

## EAST Search History

|     |    |  |   |    |     |                  |
|-----|----|--|---|----|-----|------------------|
| S32 | 0  | (correlat\$4 compar\$4 mapp\$4) with ((event action) with ((interface move interaction) near4 user)) same (((metadata description definition) adj2 (record file)) meta-information meta-definition )   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 12:44 |
| S33 | 0  | (correlat\$4 compar\$4 mapp\$4) same ((event action) with ((interface move interaction) near4 user)) same (((metadata description definition) adj2 (record file script log)) meta-information meta-definition )  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 12:45 |
| S34 | 36 | (correlat\$4 compar\$4 mapp\$4) same ((event action) with ((interface move interaction) near4 user)) and (((metadata description definition) adj2 (record file script log)) meta-information meta-definition )   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 13:13 |
| S35 | 0  | (S24 S25 S27) and S34 and @rlad<"20030128"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 12:46 |
| S36 | 15 | S34 and @rlad<"20030128"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 13:22 |
| S37 | 2  | "6847393".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 13:22 |
| S38 | 15 | (US-20040041827-\$ or US-20020083213-\$ or US-20030236775-\$ or US-20030149578-\$ or US-20040196740-\$ or US-20030151618-\$ or US-20020091680-\$).did. or (US-5475843-\$ or US-6311320-\$ or US-6463552-\$ or US-6662312-\$ or US-6542841-\$ or US-6002871-\$ or US-6847393-\$ or US-7159174-\$). did. | US-PGPUB;<br>USPAT  | OR | OFF | 2007/03/12 13:27 |

## EAST Search History

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| S39 | 10   | S38 and ((synchroni\$6 updat\$4 (write near4 back)) with (definition XML database repository library stored storage))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 13:28 |
| S40 | 10   | S38 and ((synchroni\$6 updat\$4 (writ\$3 near4 back)) with (definition XML database repository library stored storage))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 13:29 |
| S41 | 7    | S40 and (script test)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 13:29 |
| S42 | 3    | S40 not S41  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:17 |
| S43 | 1270 | ((event data) with (captur\$3 logged tracked recorded monitored)) same (correlat\$3 compar\$4 mapp\$4 correspond\$3) same ((determin\$4 identif\$3 detect\$4) with (change modification))                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:20 |
| S44 | 2743 | ((event data) with (captur\$3 logged tracked recorded monitored)) same (correlat\$3 compar\$4 mapp\$4 correspond\$3) same ((determin\$4 identif\$3 detect\$4) with (change modification alter\$4 modif\$5 difference)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:24 |
| S45 | 711  | (ERP CRM (discovery same instrumentation)) and ((database repository) same ((API query (call near4 retriev\$4)) and (XML (meta\$4 near3 information) metadata) ))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:21 |
| S46 | 680  | ((meta-definition meta-information description metadata definition XML) near9 (repository database)) and ((recording logging tracking) near8 (event behavior interaction move)) and (Web and (page button))            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:23 |

## EAST Search History

|     |     |  |   |    |     |                  |
|-----|-----|--|---|----|-----|------------------|
| S47 | 3   | (S43 or S44) and (S45 or S46)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:38 |
| S48 | 265 | (S45 or S46) and ((correlat\$3<br>compar\$4 mapp\$4 correspond\$3)<br>same ((determin\$4 identif\$3<br>detect\$4) with (change modification<br>alter\$4 modif\$5 difference))) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:28 |
| S49 | 55  | (S43 or S44) and test and script\$3  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:28 |
| S50 | 1   | S48 and S49  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:27 |
| S51 | 121 | S48 and test and script\$3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:28 |
| S52 | 20  | S51 and ERP and<br>@rlad<"20030128"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:35 |
| S53 | 20  | S52 and (HTML XML "web page")  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:35 |
| S54 | 7   | S52 and ((HTML XML "web page"<br>XSL ASP) same script)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:37 |

## EAST Search History

|     |    |   |   |    |     |                  |
|-----|----|---|---|----|-----|------------------|
| S55 | 13 | S53 not S54   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:37 |
| S56 | 17 | (US-20040041827-\$ or<br>US-20020083213-\$ or<br>US-20030236775-\$ or<br>US-20030149578-\$ or<br>US-20040196740-\$ or<br>US-20030151618-\$ or<br>US-20020091680-\$ or<br>US-20040139426-\$ or<br>US-20020165724-\$).did. or<br>(US-5475843-\$ or US-6311320-\$ or<br>US-6463552-\$ or US-6662312-\$ or<br>US-6542841-\$ or US-6002871-\$ or<br>US-6847393-\$ or US-7159174-\$).<br>did. | US-PGPUB;<br>USPAT  | OR | OFF | 2007/03/12 15:40 |
| S57 | 1  | S56 and ERP and test and script   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 15:41 |
| S58 | 4  | ("20040041827" "20030236775"<br>"5790117" "6311320").pn. and<br>(query API database)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 16:36 |
| S59 | 4  | S58 and (correlat\$4 compar\$4<br>match\$4)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 16:39 |
| S60 | 0  | S59 and ((persisted repository<br>database) same ((match\$4<br>compar\$4 determin\$3) with<br>(differen\$5 change modif\$4 alter\$4<br>out-of-date))) )   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 16:41 |
| S61 | 0  | S59 and ((persisted repository<br>database stored ERM) same<br>((match\$4 compar\$4 determin\$3)<br>with (differen\$5 change modif\$4<br>alter\$4 out-of-date))) )  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 16:41 |



## EAST Search History

|     |   |  |   |    |     |                  |
|-----|---|--|---|----|-----|------------------|
| S62 | 2 | S59 and ((persisted repository database stored ERM) and ((match\$4 compar\$4 determin\$3) with (differen\$5 change modif\$4 alter\$4 out-of-date)) ) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/12 16:41 |
|-----|---|--|---|----|-----|------------------|

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

replay tool scripting metadata XML query

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 81,800 for **replay tool scripting metadata XML query**. (0.30 seconds)**SQL parser related programs: Database script and query tool ...**

A super-fast, low-memory usage, **XML** parser specifically designed to be used server-side ... **tools** such as Visual Database Designer and Visual **Query** Builder. ...  
[www.surfpack.com/software/sqlparser/](http://www.surfpack.com/software/sqlparser/) - 76k - [Cached](#) - [Similar pages](#)

**syntax and xml resources on TechRepublic**

RazorSQL is a universal database **query tool**, SQL editor, and database navigator. ... text and **Meta data** indexing of HTML, PDF, MS Office, OpenOffice, **XML**, ...  
[search.techrepublic.com.com/search/syntax+and+xml.html?](http://search.techrepublic.com.com/search/syntax+and+xml.html?&c=1&s=0&m=20&o=1&i=0&t=0)  
 &c=1&s=0&m=20&o=1&i=0&t=0 - 59k - [Cached](#) - [Similar pages](#)

**[PPT] grids.ucs.indiana.edu/ptliupages/presentations/GGF...**File Format: Microsoft Powerpoint - [View as HTML](#)

We also designed and implemented an extended UDDI **XML Metadata** Service ... Clients **query** context store for information to be able to **replay**/playback an ...  
[Similar pages](#)

**[PPT] Managing Dynamic Metadata and Context Mehmet S. Aktas <maktas@cs ...**File Format: Microsoft Powerpoint - [View as HTML](#)

simple framework for context management; limited **query** capability; does not address distributed management aspects of context **metadata** ...  
[grids.ucs.indiana.edu/ptliupages/presentations/MehmetAktasProposal.ppt](http://grids.ucs.indiana.edu/ptliupages/presentations/MehmetAktasProposal.ppt) - [Similar pages](#)

**XML.ORG DAILY NEWSLINK**

When that worked, I wrote a simple **script** to interpolate names and addresses ... Java Architecture for **XML** Binding (JAXB) 2.0, Web Services **Metadata** for the ...  
[www.xml.org/xml/news/archives/archive.12072006.shtml](http://www.xml.org/xml/news/archives/archive.12072006.shtml) - 26k - [Cached](#) - [Similar pages](#)

**[PPT] Building the Semantic Grid**File Format: Microsoft Powerpoint - [View as HTML](#)

**metadata**. **XML** aware client. **Query**. Workflow run. Workflow design ... **Replay**. I-X planning **tools**. BuddySpace. <http://www.aktors.org/coaking/> ...  
[www.semanticgrid.org/GGF/ggf12/GGF12TutorialPart4-pioneers-and-examples.ppt](http://www.semanticgrid.org/GGF/ggf12/GGF12TutorialPart4-pioneers-and-examples.ppt) - [Similar pages](#)

**[PPT] DEVQ101-06**File Format: Microsoft Powerpoint - [View as HTML](#)

Administration/**Tools Scripting** Options. SQL-DMO. Introduced in SQL Server 6.0 (SQL OLE) ... **XML** Support **XML Query** Results. SQL Language Extension. SELECT... ...  
[www.atlantamdf.com/Presentations/AtlantaMDF\\_061002.ppt](http://www.atlantamdf.com/Presentations/AtlantaMDF_061002.ppt) - [Similar pages](#)

**[PDF] Knowledge Mining Application in ISHM Testbed**File Format: PDF/Adobe Acrobat - [View as HTML](#)

interest engineers must **query** a series of databases, using a. different identifier each time. ... the **metadata** file the **script** returns to the caller **XML** ...  
[infolab.stanford.edu/~maluf/papers/ieeeeivhm06.pdf](http://infolab.stanford.edu/~maluf/papers/ieeeeivhm06.pdf) - [Similar pages](#)

**An Integrated Toolset for Developing Extensible Applications**

Users can save **query** requests and **replay** them later. Figure 5. ... If the requestor specifies an **XML** format for execution results, the **tool** displays the ...

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

replay script XML query GUI user's action obje

Search

[Advanced Search](#)  
[Preferences](#)

---

**Web** Results 1 - 10 of about 46,600 for replay script XML query GUI user's action object tracking. (0.31 sec)Did you mean: replay script XML query GUI **user** action object tracking**Knowing the User's Every Move - User Activity Tracking for Website ...**

"Small and abstract": Information about a **user action** which can only be deduced ... of solutions which map **tracking** data to the **GUI** elements on a web page. ...

www2006.org/programme/files/xhtml/17/xhtml/fp17-atterer.html - 68k -

[Cached](#) - [Similar pages](#)

**[PDF] Knowing the User's Every Move – User Activity Tracking for Website ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

we decided that our **user action tracking** approach should. have the following properties:

... chronous JavaScript and **XML**). Since our proxy does not ...

www2006.org/programme/files/pdf/17.pdf - [Similar pages](#)

**[PDF] Knowing the User's Every Move – User Activity Tracking for Website ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

stand the problem – even a live **replay** of the customer's. mouse movements would be

feasible. ... we decided that our **user action tracking** approach should ...

atterer.net/uni/www2006-knowing-the-users-every-move–user-activity-tracking-for-website-usability-evalua... - [Similar pages](#)

**GnuCash - Open Source Accounting Software**

o Refactor some **GUI** code. Improve **user** messages. ... I've just started the QOF "**Query Object Framework**" project on sourceforge. QOF consists of that part of ...

www.au.gnucash.org/ - 44k - [Cached](#) - [Similar pages](#)

**Web Test Tools**

**XML**-based test **script** code is editable with **user's** preferred **XML** editor; ... small file to **replay**, upload to a bug **tracking** system, and share with others. ...

www.softwareqatest.com/qatweb1.html - 158k - [Cached](#) - [Similar pages](#)

**LoadRunner Vu Scripting**

Virtual **User Script** started Starting **action** vuser\_init. Web Turbo **Replay** of ...

lr\_xml\_set\_values Sets the values of **XML** elements found by a **query** ...

www.wilsonmar.com/1lrscrip.htm - 167k - [Cached](#) - [Similar pages](#)

**EclipsePlugins : plugin search**

Version 1.0-beta-4 JellySWT is a simple Jelly library which can be used to create SWT **user** interfaces. It allows **XML** documents (Jelly **scripts**) to be used to ...

www.eclipse-plugins.info/eclipse/search.jsp?query=xml - 97k - [Cached](#) - [Similar pages](#)

**HTTP transaction monitor with capacity to replay in debuggings ...**

It includes a set of tags in **XML** format for creating dynamic content in web ... The "**Edit and Replay**" **action** brings up a dialog, which allows the **user** to ...

www.patentstorm.us/patents/7072951-description.html - 67k - [Cached](#) - [Similar pages](#)

**Help - Eclipse Platform**

Web Services **User's** Guide Adaptive Server Enterprise 15.0 - Simplified Chinese · **XML**  
Services Adaptive Server Enterprise 15.0 - Simplified Chinese ...

infocenter.sybase.com/help/index.jsp - 977k - [Cached](#) - [Similar pages](#)

**HTTP transaction monitor with capacity to replay in debuggings ...**

The "Edit and **Replay**" action brings up a dialog, which allows the user to ... above in the query string, the request is not a **replay** request and the request ...

www.freepatentsonline.com/7072951.html - 74k - [Cached](#) - [Similar pages](#)

Did you mean to search for: replay script XML query GUI *user* action object tracking

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

replay tool script XML GUI user's action object

Search

[Advanced Search](#)  
[Preferences](#)

---

**Web** Results 1 - 10 of about 53,800 for replay tool script XML GUI user's action object tracking. (0.28 sec)Did you mean: replay tool script XML GUI **user** action object tracking

### Open Source Testing Tools in Java

It uses a rules engine, with a **user**-configurable **XML** file, that defines boundary ... Jacareto is a capture & **replay tool** for programs written in Java. ...

java-source.net/open-source/testing-tools - 45k - [Cached](#) - [Similar pages](#)

### Software Quality Assurance Testing and Test Tool Resources

Advanced **object** binding greatly reduces **script** changes when Web-based apps change.

... Multi-**user** bug **tracking** and reporting system that is informative, ...

www.aptest.com/resources.html - 161k - [Cached](#) - [Similar pages](#)

### Third-Party Automated Testing Tools

Squish provides a fully-featured automated **GUI test tool** for Qt ... only the real names in the **object** map need to be updated; no **script** code needs to be ...

doc.trolltech.com/qc/qc16-testing.html - 25k - [Cached](#) - [Similar pages](#)

### Web Test Tools

**XML**-based test **script** code is editable with **user's** preferred **XML** editor; ... small file to **replay**, upload to a bug **tracking** system, and share with others. ...

www.softwareqatest.com/qatweb1.html - 158k - [Cached](#) - [Similar pages](#)

### [PDF] Technical Supplement - Automated GUI Testing

File Format: PDF/Adobe Acrobat - [View as HTML](#)

A **script** is some. form of record of actions that can be fed to the **GUI testing tool** in order for it to. **replay** the test. Although this can be in any format, ...

www.tessella.com/Literature/supplements/pdf/AutoGUITesting.pdf - [Similar pages](#)

### [PDF] Manual Testing

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Language Elements : Variables, Loops, If conditions, **Action** and **Script** parameters,

Logging output ... Robot – **GUI** Recording, Low Level Recording and **Replay**, ...

www.softsmithinfotech.com/course%20syl.pdf - [Similar pages](#)

### Open Source Automated Test Tools, Open Source Automated Test Tools ...

Jacareto is a capture & **replay tool** for programs written in Java. ... JOSIT observes **user** actions, inspects the state of objects and **scripts** graphical ...

www.roseindia.net/opensource/automatedtesttools.php - 74k - [Cached](#) - [Similar pages](#)

### Knowing the User's Every Move - User Activity Tracking for Website ...

"Small and abstract": Information about a **user action** which can only be deduced ... of solutions which map **tracking** data to the **GUI** elements on a web page. ...

www2006.org/programme/files/xhtmll/17/xhtmll/fp17-atteer.html - 68k -

[Cached](#) - [Similar pages](#)

### [doc] Adam Foster

File Format: Microsoft Word - [View as HTML](#)

Implemented **GUI** regression testing using **QC Replay**. Implemented Context sensitive manual pages for all **tools** in **HTML**, and using **PERL CGI scripts** and **Java** ...

adfoss.com/af.nsf/0/4DDE6E11C3E89F6F80257281005B82C6/  
\$FILE/AdamFosterCV13Feb07.doc?openelement - [Similar pages](#)

[PDF] [Knowing the User's Every Move – User Activity Tracking for Website ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

stand the problem – even a live **replay** of the customer's. mouse movements would be  
feasible. ... we decided that our **user action tracking** approach should ...

atterer.net/uni/www2006-knowing-the-users-every-move--user-activity-tracking-for-website-  
usability-evalua... - [Similar pages](#)

Did you mean to search for: [replay tool script XML GUI \*\*user\*\* action object tracking](#)

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google